



Even around the terminal ET

Tubular insulated terminal ET

Product Material: Terminal made of high quality copper, good conductivity, high quality PA66 jacket made of durable anti-aging.

Features: The use of high-quality matte plating, greatly extended anti-rust time, no sharp parts; supporting the daily terminal crimping tools can be pressed wire, beautiful wiring,


International Certification: EU RoHS environmental certification.


Product Features: Excellent quality, cracked loose open after compression, -40 degrees heat to 85 degrees normal use.

How to use: peel the wire skin, into the terminal after the brass

Terminals cold-pressed terminals insulated terminals

Specification





Item No.	DIMENSION (mm)								Conductor cross-section		Insulation cover color	
									Cable (㎟)		Color	
	L	F	W	Dφ	Cφ	L1	T	H	A.W.G	㎟	Germany	France
ET0.5-6N Together	12.0	6	2.6	1.3	0.8	9	0.015	0.4	#22	0.5	orange	white
ET0.5-8N Together	14.0	8										
ET0.5-10N Together	16.0	10										
ET0.5-12N Together	18.0	12										
ET0.75-06N Together	6.0	12.4	2.8	1.5	1.2	9	0.015	0.4	#20	0.75	white	bule
ET0.75-08N Together	8.0	14.6										
ET0.75-10N Together	10.0	16.4										
ET0.75-12N Together	12.0	18.4										
ET1.0-6N Together	12.6	6	3.3	1.8	1.5	9	0.015	0.4	#18	1.0	yellow	red
ET1.0-8N Together	14.6	8										
ET1.0-10N Together	16.6	10										


ET1.0-10N Together	16.6	10										
ET1.0-12N Together	18.8	12										
ET10-10N Together	21.2	10	7.8	4.9	4.5	14	0.02	5	#7	10	milk	brown
ET10-12N Together	23.2	12										
ET10-18N Together	29.2	18										
ET15-8N Together	14.8	8	3.5	2.0	1.7	11	0.015	4	#16	1.5	red	black
ET15-10N Together	16.8	10										
ET15-12N Together	18.8	12										
ET15-18N Together	24.8	18										
ET25-8N Together	15.0	8	4.3	2.6	2.3	11	0.015	4	#14	2.5	bule	gray
ET25-10N Together	17.0	10										
ET25-12N Together	19.0	12										
ET25-18N Together	25.0	18										
ET40-9N Together	17.0	9	4.9	3.2	2.8	11	0.02	4	#12	4.0	gray	orange
ET40-12N Together	20.0	12										
ET40-18N Together	26.0	18										
ET60-10N Together	19.5	10	6.3	3.9	3.5	14	0.02	4	#10	6.0	black	green
ET60-12N Together	21.5	12										
ET60-18N Together	27.5	18										


Product Show














Download